ELSEVIER

Journal of Immunological Methods 194 (1996) 219–220

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 194 (1996)

Number 1 – 12 July 1996

Immunological standardization

Implications for the assay and biological properties of interleukin-3. Results of a WHO international collaborative study
A.R. Mire-Sluis, R. Gaines Das and R. Thorpe (UK) 1

Implications for the assay and biological activity of interleukin-4 Results of a WHO international collaborative study
A.R. Mire-Sluis, R. Gaines Das and R. Thorpe (UK) 13

Research reports

Application of reversed-phase high-performance liquid chromatography in the purification of major allergens from grass pollen
B. Fahlbusch, W.-D. Müller, O. Cromwell and L. Jäger (Germany) 27

Isolation and characterization of highly purified rat intestinal intraepithelial lymphocytes
J.A. Kearsey and A.W. Stadnyk (Canada) 35

A simplified procedure for studies of intestinal immunity in rabbits
F.T. McAleer, L.K. Silbart, H.J. Van Kruiningen, J. Koudelka and A. Tobias (USA) 49

An automated high capacity data capture and analysis system for the in vitro assessment of leukocyte adhesion under shear-stress conditions
J. Low, D. Kellner and W. Schuette (USA) 59

Tissue digestion with dispase substantially reduces lymphocyte and macrophage cell-surface antigen expression
A.L. Ford, E. Foulcher, A.L. Goodsall and J.D. Sedgwick (Australia) 71

Typing of murine major histocompatibility complex with a microsatellite in the class II *Eb* gene
B.K. Saha (USA) 77

The application of epitope mapping in the development of a new serological test for *Helicobacter pylori* infection
J.P. Burnie and A. Al-Dughaym (UK) 85

Immunophenotyping of lymphocytes obtained by bronchoalveolar lavage: description of an all-purpose tricolor flow cytometric application
B. Brandt, M. Thomas, M. Von Eiff and G. Assmann (Germany) 95

Notes to authors 103

Number 2 – 14 August 1996

Research reports

Urinary microalbumin measurement using a homogeneous liposomal immunoassay
S.J. Frost, J. Chakraborty and G.B. Firth (UK) 105

Fitting limiting dilution experiments with generalized linear models results in a test of the single-hit Poisson assumption
T. Bonnefoix, P. Bonnefoix, P. Verdiel and J.-J. Sotto (France) 113

The use of human monocytoid lines as indicators of endotoxin
S. Eperon and T.W. Jungi (Switzerland) 121

A non-expressed transgene as a cell marker for the investigation of cellular traffic after splenic autotransplantation
P. Hammerl, D. Weinlich, A. Hartl and J. Thalhamer (Austria) 131

Polystyrene as an affinity chromatography matrix for the purification of antibodies
C. Staak, F. Salchow, P.-H. Clausen and E. Luge (Germany) 141

Production of polyclonal antibody specific for human natriuretic peptide receptor B
K. Kitano, Y. Fukuda, K. Nagahira, T. Nasu, C. Noguchi, R. Izumi, K. Kawashima and T. Nakanishi (Japan) 147
Quantitative assessment of the human TCRBV repertoire by competitive PCR
M. Uhrberg and P. Wernet (Germany) 155
The use of intracellular single-chain antibody fragments to inhibit specifically the expression of cell surface molecules
J. Greenman, E. Jones, M.D. Wright and A.N. Barclay (UK) 169
The use of the lipophilic fluorochrome CM-DiI for tracking the migration of lymphocytes
W. Andrade, T.J. Seabrook, M.G. Johnston and J.B. Hay (Canada) 181
The protein hydrolysate, Primatone RL, is a cost-effective multiple growth promoter of mammalian cell culture in serum-containing and serum-free media and displays anti-apoptosis properties
E.-J. Schlaeger (Switzerland) 191
Determination of active single chain antibody concentrations in crude periplasmic fractions
B. Kazemier, H. De Haard, P. Boender, B. Van Gemen and H. Hoogenboom (Netherlands) 201

Short communication

Collagenase and Dispase enzymes disrupt lymphocyte surface molecules
M. Abuzakouk, C. Feighery and C. O'Farrelly (Ireland) 211

Book review 217

Contents of volume 194 219

Notes to authors 221